

# **SAFETY DATA SHEET**

Creation Date 10-Dec-2009 Revision Date 25-May-2017 Revision Number 3

1. Identification

Product Name Ammonium persulfate

Cat No.: AC201530000; AC201530010; AC201530050; AC201531000

Synonyms Ammonium peroxydisulfate; Peroxydisulfuric acid diammonium salt

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids
Category 3
Acute oral toxicity
Category 4
Skin Corrosion/irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 2
Respiratory Sensitization
Category 1
Skin Sensitization
Category 1
Specific target organ toxicity (single exposure)
Category 3
Target Organs - Respiratory system.

Label Elements

### Signal Word

Danger

### **Hazard Statements**

May intensify fire; oxidizer
Harmful if swallowed
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause respiratory irritation



### **Precautionary Statements**

### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

#### Inhalation

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skir

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition / information on ingredients

Component	CAS-No	Weight %		
Ammonium persulfate	7727-54-0	98		

#### 4. First-aid measures

General Advice If symptoms persist, call a physician. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. SPEEDY ACTION IS

CRITICAL, GET MEDICAL AID IMMEDIATELY. Remove and wash contaminated clothing

before re-use.

Inhalation Move to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way

valve or other proper respiratory medical device. Consult a physician.

**Ingestion** Do not induce vomiting. Call a physician or Poison Control Center immediately. Clean

mouth with water and drink afterwards plenty of water. Never give anything by mouth to an

unconscious person.

Most important symptoms/effects May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause

allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain,

muscle pain or flushing

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available
Lower No data available
Oxidizing Properties Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Oxidizer: Contact with combustible/organic material may cause fire. Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors. May ignite combustibles (wood paper, oil, clothing, etc.).

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx) Sulfur oxides Ammonia Oxygen

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>

Health	Flammability	Instability	Physical hazards
2	1	2	OX

# 6. Accidental release measures

**Personal Precautions**Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation.

Avoid contact with skin, eyes and clothing. Evacuate personnel to safe areas. Keep people

away from and upwind of spill/leak.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological

information. Do not flush into surface water or sanitary sewer system. Prevent further

leakage or spillage if safe to do so. Prevent product from entering drains.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust

#### Ammonium persulfate

Up

formation. Keep combustibles (wood, paper, oil, etc) away from spilled material. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up

and shovel into suitable containers for disposal.

### 7. Handling and storage

Handling

Wear personal protective equipment. Avoid dust formation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Keep away from clothing and other combustible materials. Pay attention to flashback. No information available.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

**Engineering Measures** 

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ammonium persulfate	TWA: 0.1 mg/m <sup>3</sup>			

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

### **Personal Protective Equipment**

**Eye/face Protection** Tightly fitting safety goggles.

Skin and body protection Long sleeved clothing. Impervious gloves.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

### 9. Physical and chemical properties

**Physical State** Powder Solid White **Appearance** Odor Odorless

**Odor Threshold** No information available

3.2 100 g/L pН Melting Point/Range 120 °C / 248 °F **Boiling Point/Range** No information available **Flash Point** No information available

**Evaporation Rate** Not applicable

Flammability (solid, gas) No information available

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** negligible **Vapor Density** Not applicable **Specific Gravity** 1.980

900-1100 kg/m<sup>3</sup> **Bulk Density** Solubility Soluble in water

Revision Date 25-May-2017

### Ammonium persulfate

No data available

Partition coefficient: n-octanol/water

**Autoignition Temperature** 

**Decomposition Temperature** > 120°C Not applicable **Viscosity** H8 N2 O8 S2 Molecular Formula **Molecular Weight** 228.19

# 10. Stability and reactivity

**Reactive Hazard** Yes

Oxidizer: Contact with combustible/organic material may cause fire. Moisture sensitive. Stability

**Conditions to Avoid** Avoid dust formation. Combustible material. Excess heat. Exposure to moisture.

Incompatible products.

**Incompatible Materials** Reducing agents, Metals, Peroxides, Strong oxidizing agents, Strong reducing agents,

Combustible material.

Hazardous Decomposition Products Nitrogen oxides (NOx), Sulfur oxides, Ammonia, Oxygen

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

### 11. Toxicological information

#### **Acute Toxicity**

### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Ammonium persulfate	LD50 = 495 mg/kg (Rat)	> 2000 mg/kg	LC50 = 520 mg/L (Rat) 1 h		

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes, respiratory system and skin Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	Component CAS-No		CAS-No IARC NTP			ACGIH	OSHA	Mexico	
Ammonium persulfate	7727-54-0	Not listed	Not listed	Not listed	Not listed	Not listed			

**Mutagenic Effects** No information available

No information available. **Reproductive Effects Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Revision Date 25-May-2017

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

### **Ecotoxicity**

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ammonium persulfate	Ammonium persulfate Not listed		Not listed	EC50: = 120 mg/L, 48h
		(Poecilia reticulata)		(Daphnia magna)
		LC50: = 76.3 mg/L, 96h		
		static (Oncorhynchus		
		mykiss)		
		LC50: = 103 mg/L, 96h static		
		(Lepomis macrochirus)		

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN1444

Proper Shipping Name AMMONIUM PERSULFATE

Hazard Class 5.1 Packing Group III

TDG

UN-No UN1444

Proper Shipping Name AMMONIUM PERSULFATE

Hazard Class 5.1 Packing Group III

<u>IATA</u>

**UN-No** UN1444

Proper Shipping Name AMMONIUM PERSULPHATE

Hazard Class 5.1 Packing Group III

IMDG/IMO

UN-No UN1444

Proper Shipping Name AMMONIUM PERSULPHATE

Hazard Class 5.1 Packing Group III

## 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL

#### Ammonium persulfate

\_\_\_\_\_

Ammonium persulfa	ate	Χ	Χ	-	231-786-5	-	Χ	Χ	Χ	Χ	Х

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b) Not applicable

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Ammonium persulfate	7727-54-0	98	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard Yes

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

### **CERCLA**

Not applicable

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Ammonium persulfate	-	X	-	-	-	

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

Revision Date 25-May-2017

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 10-Dec-2009

 Revision Date
 25-May-2017

 Print Date
 25-May-2017

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**