

## Safety Data Sheet

Material Name: HELIUM

SDS ID: MAT10640

### \*\*\* Section 1 - PRODUCT AND COMPANY IDENTIFICATION \*\*\*

**Material Name:** HELIUM

#### Manufacturer Information

MATHESON TRI-GAS, INC.

150 Allen Road, Suite 302

Basking Ridge, NJ 07920

General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC)

Outside the US: 703-527-3887 (Call collect)

#### Chemical Family

inorganic, gas

#### Synonyms

MTG MSDS 48; HELIUM GAS; HELIUM COMPRESSED; HELIUM -4; ATOMIC HELIUM; UN 1046; He; RTECS: MH6520000

#### Product Use

industrial

#### Usage Restrictions

None known.

### \*\*\* Section 2 - HAZARDS IDENTIFICATION \*\*\*

#### EMERGENCY OVERVIEW

**Color:** colorless

**Physical Form:** gas

**Odor:** odorless

**Health Hazards:** difficulty breathing

**Physical Hazards:** Containers may rupture or explode if exposed to heat.

# Safety Data Sheet

Material Name: HELIUM

SDS ID: MAT10640

## POTENTIAL HEALTH EFFECTS

### Inhalation

**Short Term:** nausea, vomiting, difficulty breathing, irregular heartbeat, headache, fatigue, dizziness, disorientation, emotional disturbances, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma

**Long Term:** no information is available

### Skin

**Short Term:** frostbite

**Long Term:** no information is available

### Eye

**Short Term:** frostbite, blurred vision

**Long Term:** no information is available

### Ingestion

**Short Term:** ingestion of a gas is unlikely

**Long Term:** ingestion of a gas is unlikely

## \*\*\* Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS \*\*\*

CAS	Component	Percent
7440-59-7	HELIUM	100

## \*\*\* Section 4 - FIRST AID MEASURES \*\*\*

### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

### Skin

Wash exposed skin with soap and water.

# Safety Data Sheet

Material Name: HELIUM

SDS ID: MAT10640

## Eyes

Flush eyes with plenty of water.

## Ingestion

If a large amount is swallowed, get medical attention.

## Note to Physicians

For inhalation, consider oxygen.

<b>* * * Section 5 - FIRE FIGHTING MEASURES * * *</b>
---

See Section 9 for Flammability Properties

**NFPA Ratings: Health: 0 Fire: 0 Reactivity: 0**

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## Flammable Properties

Negligible fire hazard. Containers may rupture or explode if exposed to heat.

## Extinguishing Media

Use extinguishing agents appropriate for surrounding fire.

Large fires: Use water spray to keep containers cool.

## Unsuitable Extinguishing Media

None known.

## Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

## Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck, evacuation radius: 800 meters (1/2 mile).

## Thermal Decomposition Products

# Safety Data Sheet

Material Name: HELIUM

SDS ID: MAT10640

Combustion: Not applicable

## \*\*\* Section 6 - ACCIDENTAL RELEASE MEASURES \*\*\*

### Occupational spill/release

Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

## \*\*\* Section 7 - HANDLING AND STORAGE \*\*\*

### Handling Procedures

Avoid breathing gas. Use only with adequate ventilation.

### Storage Procedures

Store and handle in accordance with all current regulations and standards. Protect from sunlight. Store in a well-ventilated area. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

## \*\*\* Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION \*\*\*

### Component Analysis

ACGIH, OSHA and NIOSH have not developed exposure limits for any of this product's components.

### Component Biological Limit Values

There are no biological limit values for any of this product's components.

### Ventilation

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

## PERSONAL PROTECTIVE EQUIPMENT

### Eyes/Face

Eye protection not required, but recommended.

### Protective Clothing

Protective clothing is not required.

### Glove Recommendations

Protective gloves are not required.

# Safety Data Sheet

Material Name: HELIUM

SDS ID: MAT10640

## Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Respiratory protection is ranked in order from minimum to maximum.

Consider warning properties before use.

### For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

## \*\*\* Section 9 - PHYSICAL AND CHEMICAL PROPERTIES \*\*\*

<b>Physical State:</b>	Gas	<b>Appearance:</b>	Not available
<b>Color:</b>	colorless	<b>Physical Form:</b>	gas
<b>Odor:</b>	odorless	<b>Odor Threshold:</b>	odorless
<b>Taste:</b>	tasteless	<b>Melting/Freezing Point:</b>	-272 °C @ 26 atm
<b>Boiling Point:</b>	-269 °C	<b>Flash Point:</b>	Not available
<b>Decomposition:</b>	Not available	<b>LEL:</b>	Not available
<b>UEL:</b>	Not available	<b>Vapor Pressure:</b>	1719 mmHg @ -268 °C
<b>Vapor Density (air = 1):</b>	0.138	<b>Density:</b>	0.1785 g/L @ 0 °C
<b>Water Solubility:</b>	0.94 % @ 0 °C	<b>Log KOW:</b>	Not available
<b>Auto Ignition:</b>	Not available	<b>Viscosity:</b>	0.02012 cP @ 26.8 °C
<b>Molecular Weight:</b>	4.0026	<b>Molecular Formula:</b>	He

## Solvent Solubility

**Insoluble:** alcohol

# Safety Data Sheet

Material Name: HELIUM

SDS ID: MAT10640

## \*\*\* Section 10 - STABILITY AND REACTIVITY \*\*\*

### Chemical Stability

Stable at normal temperatures and pressure.

### Conditions to Avoid

Protect from physical damage and heat. Containers may rupture or explode if exposed to heat. Avoid inhalation of material or combustion by-products.

### Materials to Avoid

No data available.

**Combustion:** Not applicable

### Possibility of Hazardous Reactions

Will not polymerize.

## \*\*\* Section 11 - TOXICOLOGICAL INFORMATION \*\*\*

### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

### Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, OSHA or DFG.

### Irritation

No animal testing data available for skin or eyes.

### Medical Conditions Aggravated by Exposure

None known.

### Tumorigenic

No data available.

### Mutagenic

No data available.

# Safety Data Sheet

Material Name: HELIUM

SDS ID: MAT10640

## Reproductive Effects

No data available.

### \*\*\* Section 12 - ECOLOGICAL INFORMATION \*\*\*

## Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

### \*\*\* Section 13 - DISPOSAL CONSIDERATIONS \*\*\*

## Disposal Methods

Dispose in accordance with all applicable regulations.

## Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

### \*\*\* Section 14 - TRANSPORT INFORMATION \*\*\*

## US DOT Information

**Shipping Name:** Helium, compressed

**UN/NA #:** UN1046 **Hazard Class:** 2.2

**Required Label(s):** 2.2

## TDG Information

**Shipping Name:** Helium, compressed

**UN #:** UN1046 **Hazard Class:** 2.2

**Required Label(s):** 2.2

# Safety Data Sheet

Material Name: HELIUM

SDS ID: MAT10640

## \*\*\* Section 15 - REGULATORY INFORMATION \*\*\*

### U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

### SARA 311/312

Acute Health: Yes Chronic Health: No Fire: No Pressure: Yes Reactive: No

### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	RI
HELIUM	7440-59-7	No	Yes	Yes	Yes	Yes	Yes

Not regulated under California Proposition 65

### Component Analysis - Inventory

Component	CAS	US	CA	EU	AU	PH	JP	KR	CN	NZ
HELIUM	7440-59-7	Yes	DSL	EIN	Yes	Yes	No	Yes	Yes	Yes



# Safety Data Sheet

Material Name: HELIUM

SDS ID: MAT10640

## \*\*\* Section 16 - OTHER INFORMATION \*\*\*

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

### Other Information

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

End of Sheet MAT10640