



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AZ nLOF® 2020 Photoresist
Material No. : 17998823159
Product Use Description : Intermediate for electronic industry
Company : AZ Electronic Materials USA Corp.
70 Meister Ave.
Somerville, NJ 08876
Telephone : 1-908-429-3562
Telefax : 1-908-429-5982
Emergency telephone number : 1-800-424-9300 (CHEMTREC)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards : COMBUSTIBLE LIQUID AND VAPOUR.
IRRITANT

GHS Classification

Signal word : Warning
Hazard category, Hazard class : Flammable liquids, Category 3
Hazard category, Hazard class : Eye irritation, Category 2A
Hazard category, Hazard class : Specific target organ toxicity - single exposure

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Component	CAS-No.	Weight percent
1-Methoxy-2-propanol acetate	108-65-6	65 - 75
Modified melamine -formaldehyde resin	67829000004-5594P	< 4



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

Non-hazardous ingredients

Component	CAS-No.	Weight percent
Cresol novolak resin	67829000004-5792P	20 - 25
Benzeneacetonitrile derivative	67829000004-5765P	< 2
Phenolic polyol	67829000004-5798P	< 1

SECTION 4. FIRST AID MEASURES

First aid procedures

- General advice : Remove contaminated clothing immediately and clean affected parts of the body thoroughly.
- Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
- Skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
- Eye contact : Remove contact lenses. Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- Ingestion : Keep respiratory tract clear. If conscious, drink plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

SECTION 5. FIRE-FIGHTING MEASURES

Flammable properties

- Flash point : 118 °F (48 °C)
Method: closed cup

Fire fighting

- Suitable extinguishing media : Carbon dioxide, water, alcohol resistant foam, dry chemical.
- Further information : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Cool containers / tanks with water spray.



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

Protective equipment and precautions for firefighters

Specific hazards during fire fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear suitable personal protective equipment.
Avoid contact with skin and eyes.
Keep away sources of ignition.

Environmental precautions : Do not allow entry to drains, water courses or soil.
Prevent spreading by use of suitable barriers.
Local authorities should be advised if significant spillages cannot be contained.

Methods for containment /
Methods for cleaning up : Wearing appropriate personal protective equipment, contain spill, ventilate area of spill or leak, remove all sparking devices or ignition sources, collect onto inert absorbent, and place in a suitable container.

SECTION 7. HANDLING AND STORAGE

Handling

Handling : Do not breathe vapours or spray mist.
Do not get on skin or clothing.
For personal protection see section 8.
Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Take measures to prevent the build up of electrostatic charge.
Avoid shock and friction.

Storage

Further information on storage conditions : Keep container tightly closed in a dry and well-ventilated place.
May liberate combustible solvent vapors.
Store at appropriate temperature. See label for details.

Advice on common storage : Do not store with acids or alkalies
Do not store with strong oxidizing agents



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components with workplace control parameters

Components	CAS-No.	Control parameters	Basis
1-Methoxy-2-propanol acetate	108-65-6	TWA: 50 ppm	US WEEL

Engineering measures

Engineering measures : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection : Safety eyewear to protect against splashes.

Hand protection : Solvent-resistant gloves

Skin and body protection : Clothing suitable to prevent skin contact.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
Respirator with filter for organic vapour
Use NIOSH approved respiratory protection.

Hygiene measures : Observe the usual precautions when handling chemicals.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : Liquid
Color : Clear, colorless to pale yellow
Odor : Strong, characteristic odor.

Safety data

Flash point : 118 °F (48 °C)
Method: closed cup

pH : Not applicable

Starts to boil : 293 °F (145 °C)



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

Vapour pressure	: 3.2 Torr at 68 °F (20 °C)
Density	: 1.041 g/cm ³
Water solubility	: The solvent is water soluble but the product forms two layers.
VOC	: 734 g/l (Calculated value)
Loss on drying	: >= 70 %

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	: Avoid contact with oxidizing agents. Avoid contact with strong acids. Avoid contact with alkaline materials.
Hazardous decomposition products	: Thermal decomposition may generate carbon dioxide, carbon monoxide, and oxides of nitrogen and sulfur.
Hazardous reactions	: Hazardous polymerisation does not occur.
Chemical stability	: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Data for AZ nLOF® 2020 Photoresist

Further information : No toxicological testing was carried out on the preparation.

Data for 1-Methoxy-2-propanol acetate (108-65-6)

Acute oral toxicity	: LD50: 8,532 mg/kg Species: rat
Acute inhalation toxicity	: LC50: > 23.8 mg/l Exposure time: 6 h Species: rat
Acute dermal toxicity	: LD50: > 5,000 mg/kg Species: rabbit



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

Skin irritation : Result: non-irritant

Eye irritation : Result: Mild eye irritation

Sensitisation : Species: Guinea pig
Result: non-sensitizing

Data for Modified melamine formaldehyde resin (67829000004-5594P)

Acute inhalation toxicity : LC50: > 2500 ppm
Exposure time: 4 h
Species: rat
Source : Supplier MSDS

Acute dermal toxicity : LD50: > 2 mg/kg
Species: rabbit
Source : Supplier MSDS

Eye irritation : Classification: Irritating to eyes.
Source: EU CLP/GHS Classification

12. ECOLOGICAL INFORMATION

Data for AZ nLOF® 2020 Photoresist

Additional ecological information : No ecological testing was carried out on the preparation.

Data for 1-Methoxy-2-propanol acetate (108-65-6)

Ecotoxicity effects

Toxicity to fish : LC50: 100 - 180 mg/l Exposure time: 96 h
Species: Oncorhynchus mykiss

: LC50: 161 mg/l Exposure time: 96 h
Species: Fish general (Pisces)



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

: NOEC: 100 mg/l Exposure time: 96 h

Species: Fish general (Pisces)

Toxicity to daphnia and other aquatic invertebrates. : EC50: > 500 mg/l
Species: Daphnia magna

Toxicity to bacteria : EC20: 1,000 mg/l
Exposure time: 30 min
Species: activated sludge

Elimination information (persistence and degradability)

Biodegradability : Method: OECD 302 B
: The product is biodegradable.

Data for Modified melamine formaldehyde resin (67829000004-5594P)

Ecotoxicity effects

Toxicity to fish : LC50: > 603.1 mg/l Exposure time: 96 h
Species: Lepomis macrochirus (Bluegill sunfish)

Toxicity to daphnia and other aquatic invertebrates. : EC50: > 63 mg/l
Species: Daphnia magna (Water flea)

SECTION 13. DISPOSAL CONSIDERATIONS

Further information : Dispose of as hazardous waste in compliance with local and national regulations.
For disposal, this material is a flammable hazardous waste under RCRA.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

RCRA hazardous waste : RCRA number: D001
Yes -- If it becomes a waste as sold.



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

SECTION 14. TRANSPORT INFORMATION

DOT

Not restricted

IATA

UN number : 1993
Description of the goods : Flammable liquid, n.o.s.
(2-Methoxy-1-methylethyl acetate)
Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no
Additional data for transport : PASSENGER AIRCRAFT SHIPMENT OF GLASS
CONTAINERS >2.5L NOT PERMITTED. CARGO AIRCRAFT
ONLY!

IMDG

UN number : 1993
Description of the goods : FLAMMABLE LIQUID, N.O.S.
(2-Methoxy-1-methylethyl acetate)
Class : 3
Packing group : III
Labels : 3
EmS Number 1 : F-E
EmS Number 2 : S-E

Marine pollutant : no
Environmentally hazardous : no

SECTION 15. REGULATORY INFORMATION

Notification status

US.TSCA : One or more components of this product are not listed on the TSCA Inventory. The components, however, are covered by Low Volume Exemptions (LVEs). These LVE-based products may only be used in conventional photolithographic processes consistent with their design. For any applications outside of this intended purpose, contact the vendor first.

DSL : This product contains one or several components that are not on the Canadian DSL nor NDSL lists.



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

WHMIS Classification : B3: Combustible Liquid

Canadian PBT Chemicals : This product does not contain any components on the DSL that are classified as Persistent, Bioaccumulative and Toxic (PBT) under CEPA.

CERCLA Reportable Quantity :
This material does not contain any components with a CERCLA RQ.

Carcinogenicity

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Reportable Quantity : The following components are subject to reporting levels established by SARA Title III, Section 302:
Formaldehyde 50-00-0

SARA 304 Extremely Hazardous Substances : This material does not contain any components with a section 304 EHS RQ.

SARA 313: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

US. Clean Air Act - Hazardous Air Pollutants (HAP)



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):
Formaldehyde 50-00-0

US. Clean Air Act Section 112(r); Regulated toxic and flammable substances for Accidental Release Prevention - 40 CFR 68.130 (subpart F)

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):
Formaldehyde 50-00-0

US. Clean Air Act Section 111 SOCM I Intermediate or Final Volatile Organic Compunds (VOC) - 40 CFR part 60.489

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):
Formaldehyde 50-00-0

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:
Formaldehyde 50-00-0

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:
Formaldehyde 50-00-0

US State Regulations

Massachusetts Right To Know Components	: Formaldehyde	50-00-0
Pennsylvania Right To Know Components	: 1-Methoxy-2-propanol acetate	108-65-6
	Cresol novolak resin	67829000004-5792P
	Modified melamine -formaldehyde resin	67829000004-5594P
	Formaldehyde	50-00-0



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012


New Jersey Right To Know Components	: 1-Methoxy-2-propanol acetate	108-65-6
	Cresol novolak resin	67829000004-5792P
	Modified melamine -formaldehyde resin	67829000004-5594P
	Benzeneacetonitrile derivative	67829000004-5765P
	Phenolic polyol	67829000004-5798P
	Phenolic compound	67829000004-5803P
California Prop. 65 Components	: WARNING! This product contains a chemical known to the State of California to cause cancer.	
	Formaldehyde	50-00-0

SECTION 16. OTHER INFORMATION



Further information

HMIS Classification : Health hazard: 2
Flammability: 2
Reactivity: 0
PPE:X

NFPA Classification : Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 0
Special Hazards: NONE



GHS-Labeling

Symbol(s) :  

Signal word : Warning



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012

- Hazard statements : Flammable liquid and vapour.
Causes serious eye irritation.
May cause respiratory irritation, and drowsiness or dizziness.
- Precautionary statements : **Prevention:**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ ventilating/ lighting/ equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wash skin thoroughly after handling.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or if you feel unwell:
Get medical advice/ attention.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Storage:
Store in a well-ventilated place. Keep cool.
Store in a closed container.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

AZ Is a Trademark or a registered trademark and the AZ logo is a registered trademark of AZ. (R) and TM indicate trademarks of AZ Electronic Materials USA Corp., its business partners and suppliers.



SAFETY DATA SHEET
AZ nLOF® 2020 Photoresist

Substance No.: 000000501935
Version 3.1

Revision Date 11/05/2011
Print Date 03/07/2012
