

Material Safety Data Sheet Revision Date 03-Feb-2010

Creation Date 03-Feb-2010

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Trichloroethylene
Cat No.	T340-4; T341-4; T341-20; T341-500; T403-4
Synonyms	Trichloroethene (Stabilized/Technical/Electronic/Certified ACS)
Recommended Use	Laboratory chemicals
Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Emergency Telephone Number CHEMTREC®, Inside the USA: 800- 424-9300 CHEMTREC®, Outside the USA: 703- 527-3887

2. HAZARDS IDENTIFICATION

Aspiration hazard if swallow	Emergency Overview May cause cancer. Irritating to eyes and skin. May cause centra wed - can enter lungs and cause damage. May cause irritation ects. Harmful to aquatic organisms, may cause long-term adver environment.	of respiratory tract. Possible
Appearance Colorless	Physical State Liquid	odor swee
Target Organs	Central nervous system (CNS), Eyes, Respiratory system, Kid spleen	dney, Heart, Liver, Skin, Blood,
Potential Health Effects		
Principle Routes of Exposure		
Eyes	Irritating to eyes.	
Skin Inhalation	Irritating to skin. May be harmful in contact with skin. Inhalation may cause central nervous system effects. May ca May be harmful if inhaled.	use irritation of respiratory tract.
Ingestion	Aspiration hazard. May be harmful if swallowed. May cause c Ingestion may cause gastrointestinal irritation, nausea, vomiti	•

Chronic Effects	May cause cancer. Tumorigenic effects have been reported in experimental animals Experiments have shown reproductive toxicity effects on laboratory animals. Possible risks of irreversible effects. May cause adverse liver effects. May cause adverse kidney effects.

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions

Central nervous system disorders. Cardiovascular. Preexisting eye disorders. Kidney disorders. Liver disorders. Skin disorders.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz	z
-------------	---

Component	CAS-No	Weight %
Trichloroethylene	79-01-6	100

4. FIRST AID MEASURES

4. TIKOT AID MEASORES		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.	
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Get medical attention immediately if symptoms occur.	
Ingestion	Do not induce vomiting. Obtain medical attention.	
Notes to Physician	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Flash Point Method	No information available. No information available.
Autoignition Temperature	410°C / 770°F
Explosion Limits Upper Lower	10.5 vol % 8 vol %
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable Extinguishing Media	No information available.
Hazardous Combustion Products	No information available.
Sensitivity to mechanical impact Sensitivity to static discharge	No information available. No information available.

Specific Hazards Arising from the Chemical Thermal decomposition can lead to release of irritating gases and vapors. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

NFPA	Health 2	Flammability 1	Instability 0	Physical hazards N/A		
6. ACCIDENTAL RELEASE MEASURES						
Personal Precautions		Jse personal protective equipment. and clothing.	Ensure adequate venti	lation. Avoid contact with skin, eyes		
Environmental Preca	utions S	Should not be released into the env	ironment.			
Methods for Containr Up	ment and Clean	Soak up with inert absorbent material. Keep in suitable and closed containers for disposal.				
		7. HANDLING AND S	TORAGE			
Handling		Jse only under a chemical fume ho ventilation. Do not breathe vapors o		ective equipment. Ensure adequate t in eyes, on skin, or on clothing.		
Storage	k	Keep containers tightly closed in a c	lry, cool and well-ventil	ated place. Protect from light.		

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures	Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined
	areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trichloroethylene	TWA: 10 ppm STEL: 25 ppm	(Vacated) TWA: 50 ppm (Vacated) TWA: 270 mg/m ³ Ceiling: 200 ppm (Vacated) STEL: 200 ppm (Vacated) STEL: 1080 mg/m ³ TWA: 100 ppm	IDLH: 1000 ppm

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Trichloroethylene	TWA: 269 mg/m ³ TWA: 50 ppm STEL: 200 ppm STEL: 1070 mg/m ³	TWA: 100 ppm TWA: 535 mg/m ³ STEL: 1080 mg/m ³ STEL: 200 ppm	TWA: 10 ppm STEL: 25 ppm

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment Eye/face Protection

> Skin and body protection Respiratory Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166 Wear appropriate protective gloves and clothing to prevent skin exposure Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Appearance odor **Odor Threshold** pН Vapor Pressure Vapor Density Viscosity **Boiling Point/Range Melting Point/Range** Decomposition temperature °C Flash Point **Evaporation Rate Specific Gravity** Solubility log Pow Molecular Weight **Molecular Formula**

Liquid Colorless sweet No information available. No information available. 77.3 mbar @ 20 °C 4.5 (Air = 1.0) No information available. 87°C / 188.6°F -86°C / -122.8°F No information available. No information available. 0.69 (Carbon Tetrachloride = 1.0) 1.460 Slightly soluble in water No data available 131.39 C2 H Cl3

10. STABILITY AND REACTIVITY

Stability

Conditions to Avoid

Incompatible Materials

Hazardous Decomposition Products

Hazardous Polymerization

Hazardous Reactions .

Light sensitive. Moisture sensitive.

Incompatible products. Excess heat. Exposure to light. Exposure to moist air or water.

Strong oxidizing agents, Strong bases, Metals, Powdered metals

Hydrogen chloride gas, Chlorine, Phosgene

Hazardous polymerization does not occur

None under normal processing.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Trichloroethylene	4290 mg/kg (Rat)	20 g/kg (Rabbit)	8000 ppm (Rat) 4 h
			26300 ppm (Rat) 1 h

Irritation

Irritating to eyes and skin

Toxicologically Synergistic Products

No information available.

Chronic Toxicity

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA	Mexico
Trichloroethylene	A2	Group 2A	Reasonably Anticipated	Х	Not listed

ACGIH: (American Conference of Governmental Industrial Hygienists)
A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
ACGIH: (American Conference of Governmental Industrial Hygienists)
IARC: (International Agency for Research on Cancer)
IARC: (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
NTP: (National Toxicity Program)
NTP: (National Toxicity Program)
Known - Known Carcinogen
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Sensitization	No information available.
Mutagenic Effects	Mutagenic effects have occurred in humans.
Reproductive Effects	Experiments have shown reproductive toxicity effects on laboratory animals.
Developmental Effects	Developmental effects have occurred in experimental animals.
Teratogenicity	Teratogenic effects have occurred in experimental animals
Other Adverse Effects	Tumorigenic effects have been reported in experimental animals See actual entry in RTECS for complete information.
Endocrine Disruptor Information	No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Trichloroethylene	EC50 96 h 450 mg/L	Not listed	EC50 = 0.81 mg/L 24 h	EC50 48 h 2.2 mg/L
			EC50 = 115 mg/L 10 min	
			EC50 = 190 mg/L 15 min	
			EC50 = 235 mg/L 24 h	
			EC50 = 410 mg/L 24 h	
			EC50 = 975 mg/L 5 min	

Persistence and Degradability

No information available

Bioaccumulation/Accumulation

No information available

Mobility

Component	log Pow

Component	log Pow
Trichloroethylene	2.29

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Trichloroethylene - 79-01-6	U228	-

14. TRANSPORT INFORMATION

DOT

UN-No	UN1710
Proper Shipping Name	TRICHLOROETHYLENE
Hazard Class	6.1
Packing Group	III

TDG

UN-No	UN1710
Proper Shipping Name	TRICHLOROETHYLENE
Hazard Class	6.1
Packing Group	III

IATA

UN-No	UN1710
Proper Shipping Name	TRICHLOROETHYLENE
Hazard Class	6.1
Packing Group	III

IMDG/IMO

UN-No	UN1710
Proper Shipping Name	TRICHLOROETHYLENE
Hazard Class	6.1
Packing Group	III

15. REGULATORY INFORMATION

International Inventories											
Component	TSCA	DSL	NDSL	EINECS E	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL

15. REGULATORY INFORMATION											
Trichloroethylene	Х	Х	-	201-167- 4	-		Х	Х	Х	Х	KE- 13680 X

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Trichloroethylene	79-01-6	100	0.1

SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Trichloroethylene	Х	100 lb	Х	Х

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Trichloroethylene	Х		-

OSHA

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Trichloroethylene	100 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65	Prop 65 NSRL
Trichloroethylene	79-01-6	Carcinogen	50 μg/day
			80 µg/day

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Trichloroethylene	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D1B Toxic materials D2A Very toxic materials D2B Toxic materials



16. OTHER INFORMATION

Prepared By

Regulatory Affairs Thermo Fisher Scientific Tel: (412) 490-8929

Creation Date	03-Feb-2010
Print Date	03-Feb-2010
Revision Summary	"***", and red text indicates revision

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS