

MATERIAL SAFETY DATA SHEET

Manufacturer: Strem Chemicals, Inc 7 Mulliken Way Newburyport, MA 01950-4098 U.S.A. www.strem.com
 Strem Customer Service
 (978) 499-1600

 CHEMTREC (Emergency Only)
 (800) 424-9300

 Poison Center
 (800) 562-8236

Section 1: Product Identific	ation
Chemical Name:	Trimethylaluminum, min. 98%, 93-1360, contained in 50ml Swagelok® cylinder (96-1070) for CVD/ALD
Product Number:	98-4003
CAS Registry Number:	75-24-1
Formula:	(CH3)3AI
EINECS Number:	200-853-0
Chemical Family:	metal alkyl
Synonym:	Trimethylalane

Section 2: Comp	osition and Information on	Ingredients			
Ingredient	CAS Number	Percent	ACGIH (TWA)	OSHA (PEL)	
Title Compound	75-24-1	100%	2mg/m3(as Al-	no data	

Section 3: Hazards Identific	ation
Emergency Overview:	Extremely flammable liquid. Will ignite spontaneously on contact with air. Contact with skin may result in severe chemical burns.
Primary Routes of Exposure:	Eyes, skin and inhalation
Eye Contact:	Material is a severe corrosive of the eyes.
Skin Contact:	Contact with the skin will result in severe chemical burns as the material may spontaneously ignite.
Inhalation:	Combustion products may be irritating to respiratory tract.
Ingestion:	Ingestion is an unlikely mode of entry as the material is pyrophoric and has a noxious odor.
Acute Health Affects:	Corrosive to skin, eyes, and respiratory tract.
Chronic Health Affects:	No information available on long term exposure to this material.
NTP:	No
IARC:	No
OSHA:	No

SECTION 4: First Aid Measures	
Eye Exposure:	Immediately flush the eyes with copious amounts of water for at least 10-15 minutes. A victim may need assistance in keeping their eye lids open. Get immediate medical attention.
Skin Exposure:	Wash the affected area with water. Remove contaminated clothes if necessary. Seek medical assistance if irritation persists.
Inhalation:	Remove the victim to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing, or pain. In such cases seek immediate medical assistance.
Ingestion:	Seek medical attention immediately. Keep the victim calm. Give the victim water (only if conscious). Induce vomiting only if directed by medical personnel.



MATERIAL SAFETY DATA SHEET

Manufacturer: Strem Chemicals, Inc 7 Mulliken Way Newburyport, MA 01950-4098 U.S.A. www.strem.com
 Strem Customer Service
 (978) 499-1600

 CHEMTREC (Emergency Only)
 (800) 424-9300

 Poison Center
 (800) 562-8236

Flash Point:1.4°FAutoignition Temperature:pyrophoricExplosion Limits:no dataExtinguishing Medium:dry chemical or foamSpecial Fire Fighting Procedures:If this product is involved in a fire, fire fighters should be equipped with a NIOSH approved positive presself-contained breathing apparatus and full protective clothing.Hazardous Combustion andcarbon monoxide, carbon dioxide, aluminum oxide, and organic fumes.Decomposion Products:	SECTION 5: Fire Fighting Measures		
Explosion Limits:no dataExtinguishing Medium:dry chemical or foamSpecial Fire Fighting Procedures:If this product is involved in a fire, fire fighters should be equipped with a NIOSH approved positive presself-contained breathing apparatus and full protective clothing.Hazardous Combustion andcarbon monoxide, carbon dioxide, aluminum oxide, and organic fumes.	Flash Point:	1.4°F	
Extinguishing Medium:dry chemical or foamSpecial Fire Fighting Procedures:If this product is involved in a fire, fire fighters should be equipped with a NIOSH approved positive presself-contained breathing apparatus and full protective clothing.Hazardous Combustion andcarbon monoxide, carbon dioxide, aluminum oxide, and organic fumes.	Autoignition Temperature:	pyrophoric	
Special Fire Fighting Procedures:If this product is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pres self-contained breathing apparatus and full protective clothing.Hazardous Combustion andcarbon monoxide, carbon dioxide, aluminum oxide, and organic fumes.	Explosion Limits:	no data	
Special Fire Fighting Procedures: self-contained breathing apparatus and full protective clothing. Hazardous Combustion and carbon monoxide, carbon dioxide, aluminum oxide, and organic fumes.	Extinguishing Medium:	dry chemical or foam	
	Special Fire Fighting Procedures:	If this product is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.	
Decomposion Products:	Hazardous Combustion and	carbon monoxide, carbon dioxide, aluminum oxide, and organic fumes.	
	Decomposion Products:		
Unusual Fire or Explosion Hazards: Pyrophoric material. Will spontaneously ignite if exposed to air.	Unusual Fire or Explosion Hazards:	Pyrophoric material. Will spontaneously ignite if exposed to air.	

	If spilled, the product will ignite. All personnel must be immediately evacuated and the area sealed off. The
Spill and Leak Procedures:	material may ignite releasing toxic and corrosive fumes. Ventilation should be available. If entry into the area is
	required, personnel should be fitted with a self-contained breathing apparatus.

SECTION 7: Handling and Storage		
Handling and Storage:	Material must be stored in a steel container under and inert atmosphere of nitrogen or argon. Store at room temperature. Keep away from heat.	
	ntrols and Personal Protection	

SECTION 6. Exposure controls and Personal Protection		
Evo Brotoction	Always wear approved safety glasses. When handling this substance wear a face shield as added protection.	
Eye Protection: Skin Protection:	Wear protective clothing and gloves. Consult with glove manufacturer to determine the proper type of glove.	
Ventilation:	It is imperative that this product is handled in an efficient fume hood.	
Respirator:	If ventilation is not available a respirator should be worn. The use of respirators requires a Respirator	
	Protection Program to be in compliance with 29 CFR 1910.134.	
Ventilation:	It is imperative that this product is handled in an efficient fume hood.	
Additional Protection:	No additional protection required.	

SECTION 9: Physical and Chemical Properties		
Color and Form:	colorless liquid	
Molecular Weight:	72.09	
Melting Point:	15.4°	
Boiling Point:	20°C /8 mm	
Vapor Pressure:	9mm (20?C)	
Specific Gravity:	0.752 (20?C)	
Odor:	none	
Solubility in Water:	reacts violently with water	

SECTION 10: Stability and Reactivity

	•
Stability:	Pyrophoric. Reacts violently with water.
Hazardous Polymerization:	no hazardous polymerization
Conditions to Avoid:	contact with air, water and alcohols
Incompatibility:	Water, alcohols, carbonyl compounds, mineral acids, metal salts, metals and chlorinated hydrocarbons.
Decomposition Products:	Carbon dioxide, carbon monoxide, organic fumes and aluminum oxide.



MATERIAL SAFETY DATA SHEET

Manufacturer: Strem Chemicals, Inc

7 Mulliken Way Newburyport, MA 01950-4098 U.S.A. www.strem.com
 Strem Customer Service
 (978) 499-1600

 CHEMTREC (Emergency Only)
 (800) 424-9300

 Poison Center
 (800) 562-8236

SECTION 11: Toxicological Information

RTECS Data:	No specific information available on this product.
Carcinogenic Effects:	no data
Mutagenic Effects:	no data
Tetratogenic Effects:	no data

SECTION 12: Ecological Information

Ecological Information:

No information available.

SECTION 13: Disposal Considerations Disposal: Dispose of this material according to local, state and federal regulations.

SECTION 14: Transportation	
Shipping Name (CFR):	Organometallic substance, Liquid, Pyrophoric, Water-reactive
Hazard Class (CFR):	4.2
Additional Hazard Class (CFR):	4.3
Packaging Group (CFR):	
UN ID Number (CFR):	UN# 3394
Shipping Name (IATA):	Forbidden
Hazard Class (IATA):	NA
Additional Hazard Class (IATA):	NA
Packaging Group (IATA):	NA
UN ID Number (IATA):	UN# 3394

SECTION 15: Regulatory Information		
TSCA:	Listed in the TSCA inventory	
SARA (Title 313):	Not reportable under SARA Title 313.	
Second Ingredient:	none	
Third Ingredient:	none	

SECTION 16: Other Information				
	The information herein is believed to be accurate and reliable as of the date compiled. However, Strem Chemicals, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information contained in this document or any use of the product based on this information.			
Disclaimer:				
eparation Date: 4/21/2011				
Revision Date:	4/25/2014			
Strem Chemicals, Inc.	Strem Chemicals, Inc.	Strem Chemicals, Inc.	Strem Chemicals UK, Ltd.	
7 Mulliken Way	15, rue de l'Atome, Z.I.	Postfach 1215	Newton Hall	
Newburyport, MA 01950-4098 USA	67800 BISCHHEIM (France)	77672 KEHL (Germany)	Town Street	
Tel: (978) 499 1600	Tel: (33) 03 88 62 52 60	Telefon: 0 78 51/ 7 58 79	Newton	
Fax: (978) 465 3104	Fax: (33) 03 88 62 26 81	info.europe@strem.com	Cambridge, England CB22 7ZE	
Toll free (in USA & Canada)	info.europe@strem.com		Tel: 0845 643 7263	
Tel: (800) 647 8736			Fax: 0845 643 7362	
Fax: (800) 517 8736			enquiries@strem.co.uk	

info@strem.com