Page 1/7

1 Identification

- · Product identifier
- · Product Name: <u>1000 µg/mL Palladium</u>
- · Part Number:
- PLPD3-2M
- PLPD3-2Y PLPD3-2X
- · Application of the substance / the mixture Certified Reference Material
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA
- · Information department: product safety department
- Emergency telephone number:
- Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labeling:
- hydrochloric acid
- · Hazard statements
- Causes skin irritation.
- Causes serious eye irritation.
- May cause respiratory irritation.
- · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

- Wear protective gloves. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Specific treatment (see on this label).
- Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)

 $\begin{array}{c} Health = 1\\ Fire = 0\\ Reactivity = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)



Printing date 03/14/2016

Product Name: 1000 µg/mL Palladium

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- 7647-01-0 hydrochloric acid
- · Chemical identification of the substance/preparation
- 7440-05-3 palladium
- 7732-18-5 water, distilled, conductivity or of similar purity

4 First-aid measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

(Contd. on page 3)

(Contd. of page 1)

10.0%

0.1%

89.9%

(Conta. of page 1

Reviewed on 03/14/2016

Product Name: 1000 µg/mL Palladium

(Contd. of page 2)

Reviewed on 03/14/2016

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

PEL Ceiling limit value: 7 mg/m³, 5 ppm

REL Ceiling limit value: 7 mg/m³, 5 ppm

TLV Ceiling limit value: 2.98 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



9 Physical and chemical properties

| Information on basic physical and General Information Appearance: | chemical properties | |
|---|------------------------------------|--------------------|
| Form: | Liquid | |
| Color: | According to product specification | |
| · Odor: | Characteristic | |
| · Odour Threshold: | Not applicable. | |
| · pH-value: | Not applicable. | |
| • Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. 100 °C (212 °F) | |
| · Flash point: | Not applicable. | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Ignition temperature: | | |
| Decomposition temperature: | Not applicable. | |
| · Auto igniting: | Product is not selfigniting. | |
| | | (Contd. on page 4) |

(Contd. on page 4)

US

Printing date 03/14/2016

Reviewed on 03/14/2016

Product Name: 1000 µg/mL Palladium

| | | (Contd. of page 3 |
|---|---|-------------------|
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits: | | |
| Lower: | Not applicable. | |
| Upper: | Not applicable. | |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17 mm Hg) | |
| · Density at 20 °C (68 °F) | 1.02602 g/cm ³ (8.562 lbs/gal) | |
| · Relative density | Not applicable. | |
| · Vapor density | Not applicable. | |
| · Evaporation rate | Not applicable. | |
| · Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| · Partition coefficient (n-octanol/wate | r): Not applicable. | |
| · Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| · Solvent content: | | |
| Organic solvents: | 0.0 % | |
| Water: | 89.9 % | |
| Solids content: | 0.1 % | |
| • Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Irritant
- · Carcinogenic categories

| · IARC (International Agency for Research on Cancer) | |
|---|---|
| 7647-01-0 hydrochloric acid | 3 |
| · NTP (National Toxicology Program) | |
| None of the ingredients is listed. | |
| · OSHA-Ca (Occupational Safety & Health Administration) | |
| None of the ingredients is listed. | |

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 5)

US -

Printing date 03/14/2016

Product Name: 1000 µg/mL Palladium

- \cdot Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| 4 Transport information UN-Number DOT, ADR, IMDG, LATA UN proper shipping name - UT, NATA Hydrochloric acid - ADR - MDG - Transport hazard class(es) - DOT - Class - Class - Jabel - ADR, IMDG, IATA - Class - Jabel - ADR, IMDG, IATA - Class - ADR, IMDG, IATA - Class - Seconsponde - ADR, IMDG, IATA - Class - Seconsponde - DOT - Class - Seconsponde - ADR, IMDG, IATA - DOT, ADR, IMDG, IATA - Seconsprese - Marking group - DOT, ADR, IMDG, IATA | | |
|---|--|-----------------|
| • DOT, ADR, IMDG, IATAUN1789• UN proper shipping nameHydrochloric acid• DOT, IATAHydrochloric acid• ADR1789 flydrochloric acid• IMDGHYDROCHLORIC ACID• Transport hazard class(es)HYDROCHLORIC ACID• DOTImage: Construction of the second of | insport information | |
| UN proper shipping name Hydrochloric acid DOT, IATA Hydrochloric acid ADR 1789 Hydrochloric acid HMDG HYDROCHLORIC ACID Transport hazard class(es) DOT OOT Image: Construction of the second of the secon | | |
| DOT, IATA Hydrochloric acid ADR 1739 Hydrochloric acid IMDG HYDROCHLORIC ACID Transport hazard class(es) HYDROCHLORIC ACID DOT Second Character Class Class 8 Corrosive substances Label 8 ADR, IMDG, IATA 8 Class 8 Corrosive substances Label 8 ADR, IMDG, IATA 10 Class 8 Corrosive substances Label 8 Packing group 10 DOT, ADR, IMDG, IATA 11 Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Danger code (Kemler): 80 Sowage Category E Transport in bulk according to Annex II of MARPOL7378 and the IBC Code Cade Not applicable. Transport in bulk according to Annex II of MARPOL7378 and the IBC Code: E2 Maximum net quantities (EQ) Code: E2 Maximum net quantities (IQ) IL | T, ADR, IMDG, IATA UN1789 | |
| ADR1789 Hydrochloric acid HYDROCHLORIC ACIDIPUDGHYDROCHLORIC ACIDIPUDGIPUROCHLORIC ACIDIPUROFINATAIPUROFINATAIPUROFINATA8IPUROFINATA8IPUROFINATA8IPUROFINATA8IPUROFINATA8IPUROFINATA8IPUROFINATA8IPUROFINATA8IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA11IPUROFINATA12IPUROFINATA20IPUROFINATA20IPUROFINATIONE20IPUROFINATIONE20IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROFINATIONE12IPUROF | | |
| IMDG HYDRÖCHLORIC ACID Transport hazard class(es) DOT - - Scorrosive substances - 8 Class 8 Corrosive substances Label 8 - ADR, IMDG, IATA - Scorrosive substances - 8 - ADR, IMDG, IATA - Scorrosive substances - 8 - 8 - 8 - 8 - 8 - 8 - 8 - 8 - 9 - 10 - 11 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 | | |
| Transport hazard class(es) DOT Image: Class & Corrosive substances Label & 8 ADR, IMDG, IATA & Image: Class & Corrosive substances ADR, IMDG, IATA & Image: Class & Corrosive substances Packing group II DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user & 80 Special precautions for user & 80 EMBS Number: & F.A.S.B Special precautions for user & Acids Early Core (Kentler): & 80 Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Not applicable. Transport/Additional information: Not applicable. Transport/Additional information: More Here Class Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml | | |
| DOT Visition Class 8 Corrosive substances Label 8 ADR, IMDG, IATA 8 Visition 8 Class 8 Corrosive substances Label 8 Output 8 Packing group 8 DOT, ADR, IMDG, IATA 11 Environmental hazards: Not applicable. Special precautions for user 80 Packing groups Acids Domy contents of user F-A,S-B Pageregation groups Acids Special precautions for user F-A,S-B Pageregation groups Acids Stowage Category E Transport/Additional information: Not applicable. Prescept aquantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG IL IL | | |
| Class8 Corrosive substancesLabel8ADR. IMDG, IATA8Class8 Corrosive substancesLabel8ADR. IMDG, IATA10Class8Packing group00DOT, ADR, IMDG, IATA11Environmental hazards:Not applicable.Special precautions for user80Packing groupsAcidsSonge Category80Code (Kemler):80Segregation groupsAcidsSonge CategoryETransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport Additional information:Not applicable.ADR Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIMDG Limited quantities (LQ)IL | insport hazard class(es) | |
| Label 8 ADR, IMDG, IATA | T | |
| · Label8• ADR, IMDG, IATA• Cass8 Corrosive substances• Label8• Label8• Packing group11• DOT, ADR, IMDG, IATA11• Environmental hazards:Not applicable.• Special precautions for userWarning: Corrosive substances• Danger code (Kemler):80• Estrigon groupsAcids• Segregation groupsAcids• Sowage CategoryE• Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.• Transport/Additional information:Not applicable.• ADR• Xoc applicable.• Interpretender and the information:Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml• IMDG • Limited quantities (LQ)IL | JAROSIVE 8 | |
| ADR, IMDG, IATA Visition • ADR, IMDG, IATA • Class 8 Corrosive substances • Label 8 • Packing group 1 • DOT, ADR, IMDG, IATA II • Environmental hazards: Not applicable. • Special precautions for user Warning: Corrosive substances • Danger code (Kemler): 80 • EMS Number: F-A,S-B • Segregation groups Acids • Stowage Category E • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Code Not applicable. • Transport/Additional information: Not applicable. • DRR Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • IMDG IL | 8 Corrosive substances | |
| Class8 Corrosive substances· Label8Packing group8· DoT, ADR, IMDG, IATAII· Environmental hazards:Not applicable.· Special precautions for userWarring: Corrosive substances· Danger code (Kemler):80· Sager code (Kemler):80· Segregation groupsAcids· Stowage CategoryE· Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.· Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.· Transport/Additional information:Not applicable.· ADR · Excepted quantities (EQ)Code: E2 | | |
| · Label8· Packing group · DOT, ADR, IMDG, IATAII· Environmental hazards:Not applicable.· Special precautions for user · Danger code (Kemler):Warning: Corrosive substances · 80· EMS Number:F-A, S-B· Segregation groups · Stowage CategoryAcids · E· Transport in bulk according to Annex II of MARPOL73/78 and the IBC · CodeNot applicable.· Transport/Additional information:Not applicable.· ADR · Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml | | |
| Packing group II DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Code: E2 Maximum net quantities (EQ) IMDG IL | ss 8 Corrosive substances | |
| DOT, ADR, IMDG, IATAII• Environmental hazards:Not applicable.• Special precautions for userWarning: Corrosive substances• Danger code (Kemler):80• EMS Number:F-A, S-B• Segregation groupsAcids• Stowage CategoryE• Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.• Transport/Additional information:Not applicable.• ADRCode: E2 Maximum net quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml• IMDG • Limited quantities (LQ)IL | bel 8 | |
| Environmental hazards:Not applicable.• Special precautions for userWarning: Corrosive substances• Danger code (Kemler):80• EMS Number:F-A,S-B• Segregation groupsAcids• Stowage CategoryE• Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.• Transport/Additional information:Not applicable.• ADR • Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml• IMDG • Limited quantities (LQ)IL | | |
| Special precautions for userWarning: Corrosive substancesDanger code (Kemler):80• EMS Number:F-A,S-B• Segregation groupsAcids• Stowage CategoryE• Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.• Transport/Additional information:Not applicable.• ADR • Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml• IMDG • Limited quantities (LQ)IL | T, ADR, IMDG, IATA II | |
| Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IMDG IL | vironmental hazards: Not applicable. | |
| EMS Number: F-A,S-B Segregation groups Acids Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG IL | | |
| Segregation groups Acids Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. • Transport/Additional information: Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • IMDG IL | | |
| Stowage Category E • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • ADR • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • IMDG IL | | |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) IL | regation groups Acids | |
| Code Not applicable. • Transport/Additional information: . • ADR . • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • IMDG • Limited quantities (LQ) | | |
| • ADR • Excepted quantities (EQ) • IMDG • Limited quantities (LQ) • 1L | Insport in bulk according to Annex II of MARPOL73/78 and the IBC de Not applicable. | |
| • ADR • Excepted quantities (EQ) • IMDG • Limited quantities (LQ) • 1L | nsport/Additional information: | |
| Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) IL | | |
| Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IMDG · Limited quantities (LQ) | | |
| Maximum net quantity per outer packaging: 500 ml · IMDG · Limited quantities (LQ) | | |
| · Limited quantities (LQ) 1L | | |
| | DG | |
| | ited quantities (LQ) 1L | |
| (Contd. o | | (Contd. on page |

Reviewed on 03/14/2016

(Contd. of page 4)

Printing date 03/14/2016

Reviewed on 03/14/2016

| n |
|---|
|---|

| | (Contd. of page 5) |
|----------------------------|---|
| · Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation": | UN 1789 HYDROCHLORIC ACID, 8, II |

15 Regulatory information

| \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara |
|---|
| · Section 355 (extremely hazardous substances): |
| 7647-01-0 hydrochloric acid |
| · Section 313 (Specific toxic chemical listings): |
| 7647-01-0 hydrochloric acid |
| · TSCA (Toxic Substances Control Act): |
| All ingredients are listed. |
| · Proposition 65 |
| · Chemicals known to cause cancer: |
| None of the ingredients is listed. |
| · Chemicals known to cause reproductive toxicity for females: |
| None of the ingredients is listed. |
| · Chemicals known to cause reproductive toxicity for males: |
| None of the ingredients is listed. |
| · Chemicals known to cause developmental toxicity: |
| None of the ingredients is listed. |
| · Carcinogenic categories |
| · EPA (Environmental Protection Agency) |
| None of the ingredients is listed. |

· TLV (Threshold Limit Value established by ACGIH)

7647-01-0 hydrochloric acid

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labeling:
- hydrochloric acid
- · Hazard statements
- *Causes skin irritation. Causes serious eye irritation.*
- May cause respiratory irritation.
- · Precautionary statements
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Wear protective gloves.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A4

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/14/2016

Product Name: 1000 µg/mL Palladium

| | (Conta. of page |
|--|-----------------|
| · Department issuing SDS: product safety department | |
| Contact: | |
| SPEX CertiPrep, LLC. | |
| 1-732-549-7144 | |
| | |
| · Date of preparation / last revision 03/14/2016 / - | |
| · Abbreviations and acronyms: | |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) | |
| IMDG: International Maritime Code for Dangerous Goods | |
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| ACGIH: American Conference of Governmental Industrial Hygienists | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety | |
| NOSTI. National natitude pro Occapational Safety OSHA: Occupational Safety & Health | |
| U.V. Threshold Limit Value | |
| PEL: Persissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Skin Irrit. 2: Skin corresion/irritation, Hazard Category 2 | |
| Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A | |
| STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 | |
| | |

Reviewed on 03/14/2016